



# MATERIAL SAFETY DATA SHEET

CONFORMS TO REGULATION (EC) NO. 1907/2006

Page No. 1  
Revision Date 6/30/2009  
Supersedes Date 6/29/2009

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Identification of the Substance/Preparation:** JAX MAGNA-PLATE 86 (TRIGGER SPRAY)

**Part Number:** 086TS

**Use of the Substance/Preparation:** Incidental-contact food machinery lubricant

**Company/Undertaking Identification:** PRESSURE-LUBE INC.  
W134 N5373 CAMPBELL DRIVE  
MENOMONEE FALLS, WI 53051 USA

**Non-Emergency Contact:** Phone: 1-800-782-7660 (North America) +01-262-781-8850 (International)  
Fax: 1-262-781-3906 (North America) +01-262-781-3906 (International)

**Emergency Contact (24-hour):** CHEMTREC: 1-800-424-9300 (North America) +01-703-527-3887 Collect (International)

## SECTION 2. HAZARDS IDENTIFICATION

**Classification:** This preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

**Physicochemical Hazards:** Not physicochemically hazardous per EU Directive 1999/45/EC definitions.

**Human Health Hazards:** See Section 11.

**Environmental Hazards:** This material is not expected to be readily biodegradable.

## SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Components listed below either meet the reporting requirements as specified in U.S. 29 CFR 1910.1200 or EU Directive 1999/45/EC as amended, or are reported for informational purposes only.

Ingredient	%	PEL/TLV, Source	CAS #	EINECS #	EU Hazard Symbol	R-Phrases*
1-Decene homopolymer, hydrogenated	90-97	N/E	68037-01-4	500-183-1	None	None

\*See Section 16 for full text of R-Phrases.

## SECTION 4. FIRST AID MEASURES

**General Information:** Refer to specific forms of contact described below.

**Eye Contact:** Remove contact lenses, if wearing. Flush eyes with large amounts of water, lifting lids to ensure thorough flushing. If irritation or other symptoms persist, call a physician.

**Skin Contact:** Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before reuse and discard oil-soaked shoes. If irritation persists, consult a physician.

**Ingestion:** If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention. Never give anything by mouth to an unconscious person. Consult a physician.

**Inhalation:** If exposed to excessive levels of material in the air, move the exposed person to fresh air. If breathing is difficult, give oxygen; seek medical attention if respiratory difficulties continue. If not breathing, give artificial respiration and seek medical attention immediately.

**Self-Protection of the First Aider:** First Aider: Pay attention to self-protection.

**EU Info to Physician** Refer to this section.

## SECTION 5. FIREFIGHTING MEASURES

**Suitable Extinguishing Media:** Extinguishing media include dry chemical, alcohol foam, and carbon dioxide-type extinguishing agents. Water may be used to keep fire-exposed containers cool.

**Unsuitable extinguishing media:** Do not use direct stream of water.

**Special Hazards:** Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to keep containers cool. If a leak or spill has not ignited, use water spray to disperse the vapors and to provide protection for the firefighters.

**Products of Combustion:** Carbon monoxide, carbon dioxide, smoke and irritating vapors as products of incomplete combustion.

**Special Protective Equipment for Firefighters:** Firefighters should wear full protective clothing, including helmet, and NIOSH-approved self-contained breathing apparatus with full facepiece operated in pressure-demand or other positive-pressure mode.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Extinguish all sources of ignition. Provide sufficient ventilation and/or respiratory protection. Wear appropriate protective clothing, gloves, face mask, goggles/glasses to prevent contact with the eyes and skin. See Section 8.

**Environmental Precautions:** Keep product out of sewers and watercourses by diking or impounding. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.

**Methods for Clean-Up:** Recover free product using non-sparking tools. Add sand, earth, or other suitable absorbent material to the spill area. Dispose of in accordance with national and/or local regulations relating to waste disposal.

## SECTION 7. HANDLING AND STORAGE

**Handling:** Keep away from heat, sparks, open flame or where temperature may exceed 49°C (120°F). Do not throw empty container into fire or trash compactor. Container is not designed to contain pressure; do not use pressure to empty container or it may rupture with explosive force. "Empty" containers retain product residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, or grind such containers as they may explode and can cause injury or death. Use only with adequate ventilation. Do not breathe vapor or mist. Do not take internally. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Do not transfer to nor store in an unmarked container. Read label and MSDS before using. Do not smoke when handling or using this product. Do not use in high-pressure systems in the vicinity of flames, sparks and hot surfaces. Empty container should be promptly returned to a drum reconditioner. For industrial use only.

**Storage:** Store in tightly sealed containers. Store in a cool, dry place out of direct sunlight. Do not store near heat, sparks, open flame, pilot lights, static electricity, or where temperature may exceed 49°C (120°F). Equipment and containers should be bonded and grounded when transferring or using material. Use non-sparking tools and equipment. Rotate stock.

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Occupational Exposure Limit:** 5 mg/m<sup>3</sup> (oil mist) OSHA, for total product; see Section 3 for component exposure limit(s).

**Respiratory Protection:** Use with adequate ventilation. Respiratory protective equipment is not normally required where there is adequate natural or local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. A NIOSH/MSHA-approved air-supplied respirator is advised in absence of proper environmental control.

**Ventilation:** Use in a well ventilated area. See Engineering Controls.

**Hand Protection (Gloves):** Wear protective gloves made of nitrile or other impervious material.

**Eye Protection:** Chemical splash goggles or face shield are advised when eye contact may occur.

**Personal Hygiene:** Wash skin thoroughly after contact, before breaks and meals and at the end of the work period. Product is readily removed from skin by waterless hand cleaners followed by washing thoroughly with soap and water.

**Engineering Controls:** Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>pH:</b>	N/A	<b>Partition Coefficient (n-octanol/water):</b>	N/A
<b>Boiling Point/Range:</b>	N/A	<b>Viscosity:</b>	N/A
<b>Flash Point:</b>	464°F (240°C), ASTM D 92	<b>Vapor Density:</b>	N/A
<b>Upper Flammability Limit:</b>	N/A	<b>Evaporation Rate:</b>	Nil
<b>Lower Flammability Limit:</b>	N/A	<b>Percent Volatile:</b>	Nil
<b>Oxidizing Properties:</b>	Not an oxidizer	<b>Appearance/Odor:</b>	Water white lube oil with little or no odor
<b>Vapor Pressure:</b>	Nil	<b>Physical State:</b>	Liquid
<b>Density:</b>	N/A		
<b>Solubility in Water:</b>	Nil		

## SECTION 10. STABILITY AND REACTIVITY

**Conditions and Materials to Avoid:** Avoid heat, open flames, and oxidizing agents.

**Hazardous Polymerization:** Hazardous polymerization will not occur.

**Hazardous Decomposition Products:** Carbon monoxide, carbon dioxide, smoke and irritating vapors as products of incomplete combustion.

## SECTION 11. TOXICOLOGICAL INFORMATION

**Routes of Entry:** Skin contact, eye contact, ingestion and inhalation.

**Skin Toxicological Effects:**



<b>Eye Toxicological Effects:</b>	Not expected to cause prolonged or significant eye irritation.
<b>Ingestion Toxicological Effects:</b>	No significant health hazards by ingestion have been identified. Aspiration into lungs can cause pneumonitis, which can be fatal.
<b>Inhalation Toxicological Effects:</b>	Vapor inhalation under ambient conditions is not normally a problem. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended oil mist exposure limit.

Acute Toxicity / LD <sub>50</sub> and LC <sub>50</sub> of Ingredients:	Ingredient	LD <sub>50</sub>	LC <sub>50</sub>	NTP Known Carcinogen	NTP Anticipated Carcinogen	IARC Group
	1-Decene homopolymer, hydrogenated	Oral/Rat >5000 mg/kg	Inhalation/Rat >5 mg/l/4h	No	No	No
Chronic Toxicity / Carcinogenicity:	Ingredient	CAS #		NTP Known Carcinogen	NTP Anticipated Carcinogen	IARC Group
	1-Decene homopolymer, hydrogenated	68037-01-4		No	No	No

## SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity:	N/A	Bioaccumulative Potential:	N/A
Mobility:	N/A	Persistence and Degradability:	N/A

## SECTION 13. DISPOSAL CONSIDERATIONS

**Waste Disposal:** Consult national or regional authorities for proper disposal and reporting procedures. All disposals must comply with national and regional regulations.

## SECTION 14. TRANSPORTATION INFORMATION

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

### U.S. D.O.T.

Proper Shipping Name:	Not regulated
UN Number:	None
Hazard Class:	None
Packing Group:	None
Remarks:	None

### Land Transport ADR/RID

Proper Shipping Name:	Not regulated
UN Number:	None
Hazard Class:	None
Packing Group:	None

### Maritime Transport IMDG

Proper Shipping Name:	Not regulated
IM Number:	None
IMDG Code:	None
Packing Group:	None

### Air Transport IATA

Proper Shipping Name:	Not regulated
UN Number:	None
Hazard Class:	None
Packing Group:	None
Remarks:	None



## SECTION 15. REGULATORY INFORMATION

### U.S. Federal Regulations

**CERCLA:** Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is regulated by 40 CFR 302.4 :  
None

**SARA (Section 313):** This product contains the following chemical(s) listed in Section 313 at or above the de minimis concentrations:  
None

**SARA Extremely Hazardous List:** This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List:  
None

**TSCA Inventory:** All components of this material are on the U.S. TSCA Inventory.

**State Regulations**

**California Proposition 65:** This product contains the following chemical(s) known to the State of California to cause birth defects or other reproductive harm:  
None

**Canada Regulations**

This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations (CPR)* and the MSDS contains all of the information required by the *CPR*.

**European Community Label Requirements**

**Danger Symbol(s):** None

**S-Phrase(s):** Not classified according to EU Directive 99/45/EC

**R-Phrase(s):** R44: Risk of explosion if heated under confinement

**National Regulations (Germany)**

**Water Hazard Class:** N/A

**SECTION 16. OTHER INFORMATION**

**Component R-Phrase(s)** None

**HMIS® Ratings:** Health: **1** Fire: **1** Physical Hazard: **0**  
HMIS® Ratings: 0 = Minimal Hazard; 1 = Slight Hazard; 2 = Moderate Hazard; 3 = Serious Hazard; 4 = Severe Hazard

**Abbreviations that May Be Used in this Document:** N/A = Not available  
N/E = Not established

**Sections Revised:** New MSDS format

**Revision Date:** 6/30/2009

The information and recommendations contained herein are, to the best of Pressure-Lube Inc.'s knowledge and belief, accurate and reliable as of the date issued. Pressure-Lube Inc. makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and Pressure-Lube Inc. shall not be liable for any loss or damage based up on the criteria supplied by the developers of these rating systems, together with Pressure-Lube Inc.'s interpretation of the available data.

\*\*\* END OF MSDS \*\*\*



INDUSTRIAL LUBRICANTS (UK) LIMITED  
Tel. 08701 632933 Fax. 08701 632933  
sales@indlub.co.uk www.indlub.co.uk